




HOSE CUTTING SOLUTIONS

AUTOMATIC CUTTING MACHINE TYPE TA1

Exclusively designed to cut wire braid hoses up to 1"- 1/2"



CE



TECHNICAL SPECIFICATIONS

- The hose is fed into the machine by a caterpillar system and is controlled by an electric motor
- The feeding speed is adjustable from 0 to 40 m/mn
- Track width manually adjustable by handwheel with digital indicator
- Digital control pad 1 spindle which has different programs
- Capacity : 1000 programs
- One program includes: the part length, the number of parts, the elongation adjuster, the length 2 for the optimization of scrap, the length 3 for the optimization of scrap
- Bevelled cutting blade: 300 x 3 x 30mm
- Electric motor: 4 kW with break
- Rotation speed: 3000 rpm
- During the cutting operation, 2 hinged jaws hold and guide the hose
- Adjustment is manually done by the handwheel
Two pneumatic cylinders to perform pipe bending and cutting head hose
- Power supply: 400V TRI – 50Hz
- Pressure air: 6 bars
- Dimensions: L x W x H : 900 x 840 x 1360mm
- Weight: 250kg
- Connection nozzle with aspiration system
- OPTION: this cutting machine can be equipped with an evacuation system (length from 3 to 5 m)



ETS CLAVEL - 5 Rue Pierre et Marie Curie, 18520 AVORD - France
<https://www.clavel.fr> Tel : 02 48 76 80 14 contact@clavel.fr

